


AK ALASKA









ALASKA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	#N/A	#N/A	#N/A	90.4%	95.5%	
19-64	#N/A	78.9%	80.1%	77.4%	75.9%	
65+	#N/A	#N/A	#N/A	94.0%	#N/A	
Total	76.8%	83.4%	85.4%	83.4%	84.0%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	#N/A	#N/A	#N/A	94.4%	98.9%	
19-64	#N/A	95.7%	95.6%	96.8%	91.7%	
65+	#N/A	#N/A	#N/A	95.7%	#N/A	
Total	96.4%	96.9%	96.3%	95.9%	94.2%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	#N/A	#N/A	#N/A	99.5%	#N/A	
19-64	#N/A	96.0%	97.5%	95.8%	98.1%	
65+	#N/A	#N/A	#N/A	99.6%	#N/A	
Total	#N/A	96.6%	98.2%	97.4%	97.9%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	#N/A	#N/A	#N/A	71.2%	59.9%	
19-64	#N/A	59.0%	56.8%	52.5%	61.9%	
65+	#N/A	#N/A	#N/A	85.9%	#N/A	
Total	63.5%	65.3%	63.2%	62.0%	63.5%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	#N/A	#N/A	#N/A	#N/A	16.6%	
19-64	#N/A	#N/A	23.2%	18.6%	22.5%	
65+	#N/A	#N/A	#N/A	17.1%	#N/A	
Total	#N/A	21.1%	21.4%	19.8%	20.5%	
Percent of Individuals Who Spent a Night in Hospita	<u></u>					
0-18	#N/A	#N/A	#N/A	#N/A	8.1%	
19-64	#N/A	#N/A	6.0%	#N/A	#N/A	
65+	, #N/A	#N/A	#N/A	12.9%	#N/A	
Total	3.4%	7.8%	5.4%	6.0%	#N/A	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

ALASKA 63.5%








ALALABAMA



HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015









50%

ALABAMA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	97.8%	95.6%	95.6%	96.2%	96.6%	
19-64	79.8%	82.2%	84.5%	87.8%	86.5%	
65+	99.1%	99.0%	95.3%	97.7%	95.2%	
Total	86.6%	87.7%	89.1%	91.3%	90.4%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	95.0%	99.6%	98.5%	98.3%	99.2%	
19-64	93.3%	98.1%	96.1%	97.6%	94.8%	
65+	96.1%	#N/A	97.8%	97.7%	94.8%	
Total	94.1%	98.7%	97.0%	97.8%	95.8%	
Percent of Individuals Told that Provider Accepts Ins	surance Type					
0-18	97.2%	99.7%	98.8%	98.3%	99.3%	
19-64	95.6%	97.8%	98.0%	98.0%	97.9%	
65+	99.7%	#N/A	98.0%	97.4%	96.1%	
Total	96.5%	98.5%	98.2%	98.0%	97.9%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	79.7%	75.5%	85.7%	82.9%	77.0%	
19-64	66.9%	65.3%	68.9%	69.0%	68.0%	
65+	96.7%	84.6%	87.3%	86.2%	85.6%	
Total	73.8%	70.5%	76.3%	75.0%	73.4%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	20.4%	19.3%	17.0%	19.8%	15.1%	
19-64	27.7%	19.8%	18.9%	24.1%	18.4%	
65+	20.6%	19.3%	19.1%	20.1%	21.4%	
Total	25.0%	19.6%	18.5%	22.4%	18.2%	
Percent of Individuals Who Spent a Night in Hospita	<u></u>					
0-18	#N/A	#N/A	8.0%	#N/A	#N/A	
19-64	13.0%	7.0%	10.6%	9.4%	9.2%	
65+	22.6%	11.9%	17.4%	10.9%	16.5%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


ALABAMA 73.4%






AR ARKANSAS









ARKANSAS

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical C	are Other than Emergency Department					
0-18	97.7%	97.2%	93.9%	94.7%	93.6%	
19-64	82.9%	82.3%	76.5%	82.6%	81.5%	
65+	#N/A	97.0%	98.6%	98.7%	96.5%	
Total	88.8%	88.0%	84.0%	88.0%	86.7%	
ercent of Individuals Who Had No Trouble Finding Do	ctor					
0-18	97.7%	98.3%	97.6%	98.1%	96.9%	
19-64	95.3%	96.7%	96.2%	96.4%	96.0%	
65+	#N/A	99.2%	#N/A	98.2%	98.6%	
Total	96.2%	97.5%	97.1%	97.1%	96.6%	
Percent of Individuals Told that Provider Accepts Insura	ance Type					
0-18	98.9%	98.0%	98.6%	98.3%	96.2%	
19-64	98.5%	97.3%	98.1%	98.5%	97.0%	
65+	#N/A	99.7%	96.7%	99.6%	97.7%	
Total	98.1%	97.8%	98.0%	98.6%	96.9%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO 2	2015					
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals Who Had a General Doctor or Pr	ovider Visit					
0-18	66.3%	80.8%	76.2%	81.9%	81.4%	
19-64	65.6%	62.1%	58.5%	67.0%	67.3%	
65+	#N/A	74.1%	87.9%	90.6%	85.0%	
Total	68.3%	68.3%	67.0%	74.2%	73.5%	
Percent of Individuals Who Had a Visit to an Emergenc	y Department					
0-18	28.2%	23.5%	25.1%	18.3%	22.3%	
19-64	27.4%	21.1%	23.3%	21.4%	19.1%	
65+	#N/A	#N/A	17.6%	24.5%	27.4%	
Total	27.5%	22.5%	23.0%	21.1%	21.1%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	7.1%	4.8%	#N/A	#N/A	#N/A	
19-64	9.4%	#N/A	8.2%	9.5%	5.7%	
19-04						
65+	#N/A	22.0%	15.4%	16.6%	14.1%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


ARKANSAS 73.5%







AZARIZONA











ARIZONA

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medi	cal Care Other than Emergency Department					
0-18	95.0%	89.3%	93.5%	90.3%	88.1%	
19-64	75.3%	71.4%	81.0%	77.6%	80.0%	
65+	94.7%	91.2%	94.4%	95.4%	#N/A	
Total	83.2%	78.9%	86.1%	83.9%	84.2%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	98.2%	98.3%	98.8%	97.8%	97.8%	
19-64	93.9%	94.5%	97.0%	97.0%	96.1%	
65+	96.9%	95.4%	97.4%	95.1%	#N/A	
Total	95.5%	95.6%	97.5%	97.0%	97.0%	
Percent of Individuals Told that Provider Accepts Ir	surance Type					
0-18	98.9%	96.5%	#N/A	98.4%	98.1%	
19-64	96.2%	97.0%	97.1%	97.1%	97.4%	
65+	91.5%	98.0%	98.6%	97.6%	#N/A	
Total	96.3%	97.0%	98.0%	97.5%	97.4%	
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	84.0%	74.4%	87.1%	75.4%	78.8%	
19-64	65.3%	63.2%	66.8%	61.6%	64.7%	
65+	89.1%	89.3%	87.1%	85.0%	#N/A	
Total	73.5%	69.7%	74.9%	69.0%	70.2%	
Percent of Individuals Who Had a Visit to an Emerg	ency Department					
0-18	15.6%	19.8%	18.7%	15.6%	12.9%	
19-64	18.0%	20.3%	20.0%	17.9%	13.9%	
65+	21.8%	21.1%	19.6%	23.4%	#N/A	
Total	17.9%	20.3%	19.6%	18.0%	14.6%	
Percent of Individuals Who Spent a Night in Hospit	al					
0-18	#N/A	#N/A	#N/A	4.4%	#N/A	
19-64	7.3%	7.4%	8.4%	8.9%	9.5%	
65+	18.3%	11.1%	17.6%	13.8%	#N/A	
Total	7.9%	6.7%	8.8%	8.2%	8.7%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


ARIZONA 70.2%






CA CALIFORNIA









CALIFORNIA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medi	cal Care Other than Emergency Department					
0-18	93.9%	94.7%	94.1%	95.4%	95.0%	
19-64	77.3%	75.7%	77.8%	80.9%	83.1%	*
65+	97.0%	97.0%	96.3%	96.9%	96.1%	
Total	84.0%	83.2%	84.2%	86.5%	87.6%	*
Percent of Individuals Who Had No Trouble Finding	g Doctor					
0-18	97.1%	96.9%	97.7%	97.5%	96.6%	
19-64	94.1%	94.5%	95.5%	95.9%	94.4%	
65+	96.9%	97.6%	97.2%	98.3%	95.7%	
Total	95.2%	95.5%	96.3%	96.6%	95.1%	*
Percent of Individuals Told that Provider Accepts Ir	surance Type					
0-18	97.5%	97.1%	97.6%	98.0%	97.4%	
19-64	96.3%	95.7%	97.2%	96.7%	95.7%	*
65+	97.5%	98.1%	98.0%	97.4%	96.4%	
Total	96.8%	96.3%	97.4%	97.1%	96.2%	*
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	76.3%	82.8%	80.7%	83.2%	80.6%	
19-64	56.8%	59.2%	60.1%	63.7%	61.6%	
65+	86.1%	84.6%	88.0%	83.0%	86.9%	
Total	65.4%	68.4%	68.7%	71.0%	69.4%	
Percent of Individuals Who Had a Visit to an Emerg	ency Department					
0-18	14.6%	14.5%	13.7%	12.5%	13.3%	
19-64	16.5%	15.1%	13.2%	14.6%	15.3%	
65+	21.8%	20.8%	21.2%	18.0%	20.7%	
Total	16.6%	15.6%	14.3%	14.5%	15.4%	
Percent of Individuals Who Spent a Night in Hospit	al					
0-18	3.8%	4.0%	4.0%	3.4%	3.6%	
19-64	6.1%	5.6%	5.9%	5.5%	5.9%	
65+	15.3%	13.1%	12.1%	11.1%	13.6%	
Total	6.7%	6.1%				


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


CALIFORNIA 69.4%






CO









COLORADO

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	I Care Other than Emergency Department					
0-18	96.3%	96.9%	94.2%	94.2%	94.4%	
19-64	80.2%	83.9%	79.3%	80.4%	83.6%	
65+	95.7%	#N/A	#N/A	96.2%	#N/A	
Total	86.1%	88.8%	85.3%	85.8%	87.7%	
Percent of Individuals Who Had No Trouble Finding I	Ooctor					
0-18	96.6%	99.7%	98.4%	97.5%	#N/A	
19-64	97.3%	96.4%	95.0%	95.9%	95.2%	
65+	95.0%	#N/A	#N/A	96.9%	#N/A	
Total	96.8%	97.1%	96.2%	96.4%	96.7%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	97.0%	99.2%	98.9%	96.4%	#N/A	
19-64	96.6%	97.4%	97.6%	96.9%	97.3%	
65+	97.1%	#N/A	#N/A	96.3%	#N/A	
Total	96.8%	97.4%	97.8%	96.7%	98.2%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO) <i>2015</i>					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	85.6%	84.4%	82.5%	82.2%	78.9%	
19-64	56.7%	58.0%	56.0%	62.3%	57.7%	
65+	79.0%	#N/A	#N/A	83.5%	#N/A	
Total	66.7%	67.6%	67.1%	69.9%	65.7%	
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	16.5%	12.9%	14.4%	20.5%	15.8%	
19-64	18.2%	15.5%	16.9%	16.9%	15.4%	
65+	21.1%	#N/A	#N/A	23.3%	#N/A	
Total	18.1%	16.6%	16.6%	18.6%	16.1%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	7.3%	#N/A	#N/A	#N/A	
19-64	7.8%	5.5%	6.9%	7.6%	4.9%	
65+	17.9%	#N/A	#N/A	#N/A	#N/A	
Total	8.4%	7.7%	6.6%	7.4%	6.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


COLORADO ___ 65.7%






CONNECTICUT









CONNECTICUT

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	I Care Other than Emergency Department					
0-18	97.4%	96.5%	99.3%	97.4%	98.4%	
19-64	90.0%	83.8%	84.4%	90.4%	85.5%	
65+	#N/A	#N/A	#N/A	96.1%	#N/A	
Total	92.5%	88.6%	89.9%	92.9%	90.1%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	99.6%	95.4%	97.8%	99.3%	96.7%	
19-64	95.3%	94.8%	96.5%	96.9%	97.5%	
65+	#N/A	#N/A	#N/A	97.7%	#N/A	
Total	96.2%	95.7%	97.1%	97.6%	97.3%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	96.9%	98.3%	97.5%	99.8%	97.3%	
19-64	95.9%	95.0%	97.2%	95.3%	97.3%	
65+	#N/A	#N/A	#N/A	97.3%	#N/A	
Total	95.5%	96.5%	97.4%	96.6%	97.5%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	91.7%	93.1%	92.3%	88.7%	80.4%	*
19-64	71.0%	64.5%	68.7%	71.1%	64.3%	
65+	#N/A	#N/A	#N/A	86.7%	#N/A	
Total	78.2%	74.5%	76.6%	77.7%	70.7%	
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	22.7%	18.6%	17.4%	21.1%	21.1%	
19-64	15.1%	20.0%	23.8%	18.2%	16.5%	
65+	#N/A	#N/A	#N/A	20.0%	#N/A	
Total	18.2%	20.5%	23.2%	19.2%	18.9%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	6.1%	5.4%	10.3%	7.1%	8.4%	
65+	#N/A	#N/A	#N/A	17.4%	#N/A	
Total	6.2%	6.8%	9.7%	8.0%	9.1%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

CONNECTICUT 70.7%








DC

HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015

DISTRICT OF COLUMBIA







DISTRICT OF COLUMBIA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	#N/A	#N/A	#N/A	98.4%	85.0%	
19-64	86.0%	75.8%	83.6%	83.3%	88.3%	
65+	#N/A	#N/A	94.9%	98.3%	96.7%	
Total	88.1%	82.5%	87.8%	88.0%	88.3%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	#N/A	#N/A	99.6%	99.6%	98.8%	
19-64	88.1%	94.4%	91.6%	93.2%	94.8%	
65+	#N/A	#N/A	98.4%	94.4%	95.2%	
Total	91.6%	95.6%	93.8%	94.7%	95.8%	
Percent of Individuals Told that Provider Accepts Ins	surance Type					
0-18	#N/A	#N/A	98.4%	98.5%	92.6%	
19-64	94.5%	93.4%	93.6%	94.6%	94.0%	
65+	#N/A	#N/A	91.2%	95.4%	89.6%	
Total	94.7%	95.1%	94.3%	95.5%	93.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	#N/A	#N/A	87.9%	92.2%	82.9%	
19-64	68.2%	69.4%	61.0%	69.2%	70.7%	*
65+	#N/A	#N/A	85.8%	88.7%	88.1%	
Total	75.7%	74.2%	68.5%	76.0%	75.1%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	#N/A	#N/A	26.1%	28.2%	28.9%	
19-64	19.4%	25.1%	22.9%	16.9%	17.9%	
65+	#N/A	#N/A	42.2%	27.9%	33.3%	
Total	19.4%	25.5%	25.5%	20.4%	21.9%	
Percent of Individuals Who Spent a Night in Hospita	l					
0-18	#N/A	#N/A	#N/A	10.0%	#N/A	
19-64	#N/A	#N/A	#N/A	#N/A	9.1%	
65+	#N/A	#N/A	16.9%	14.6%	20.7%	
Total	#N/A	8.9%	6.4%	7.8%	9.7%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


DISTRICT OF COLUMBIA 75.1%







DE











DELAWARE

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical C	are Other than Emergency Department					
0-18	#N/A	99.0%	97.5%	97.5%	98.8%	
19-64	#N/A	83.1%	90.4%	93.1%	94.1%	
65+	#N/A	#N/A	#N/A	98.3%	99.9%	
Total	92.7%	89.3%	92.8%	94.9%	96.1%	
Percent of Individuals Who Had No Trouble Finding Doo	tor					
0-18	#N/A	96.6%	97.7%	#N/A	99.6%	
19-64	#N/A	96.0%	97.4%	98.8%	95.4%	
65+	#N/A	#N/A	#N/A	99.0%	99.3%	
Total	98.4%	96.2%	97.8%	99.1%	97.0%	
Percent of Individuals Told that Provider Accepts Insura	nce Type					
0-18	#N/A	93.9%	99.5%	99.8%	99.6%	
19-64	#N/A	98.5%	98.1%	98.8%	97.1%	
65+	#N/A	#N/A	#N/A	99.6%	99.3%	
Total	96.7%	97.1%	98.6%	99.1%	98.0%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO 2	015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or Pro	ovider Visit					
0-18	#N/A	89.2%	95.3%	95.9%	94.8%	
19-64	#N/A	68.1%	72.3%	81.4%	74.3%	
65+	#N/A	#N/A	#N/A	94.3%	96.3%	
Total	86.6%	75.8%	79.7%	86.8%	82.4%	
Percent of Individuals Who Had a Visit to an Emergency	Department					
0-18	#N/A	#N/A	12.6%	6.5%	16.6%	
19-64	#N/A	17.9%	12.2%	15.4%	14.1%	
65+	#N/A	#N/A	#N/A	13.1%	30.5%	
Total	21.7%	19.0%	12.9%	13.0%	17.2%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	, #N/A	6.9%	#N/A	5.1%	4.3%	
65+	, #N/A	#N/A	#N/A	#N/A	19.1%	
Total	, #N/A	6.7%	5.5%	5.7%	6.7%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


DELAWARE 82.4%






FL FLORIDA









FLORIDA

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	92.7%	95.0%	92.1%	95.8%	93.2%	
19-64	75.7%	71.9%	73.8%	77.9%	76.4%	
65+	97.7%	96.6%	97.5%	97.8%	97.8%	
Total	83.3%	81.6%	82.3%	85.7%	84.5%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	97.4%	97.5%	98.3%	97.5%	98.3%	
19-64	93.8%	95.7%	94.7%	95.4%	96.2%	
65+	97.8%	97.8%	97.5%	97.3%	96.6%	
Total	95.3%	96.5%	96.0%	96.2%	96.7%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	97.2%	97.3%	96.3%	97.4%	98.0%	
19-64	95.5%	97.0%	96.6%	96.9%	96.1%	
65+	97.4%	97.3%	96.7%	97.3%	96.7%	
Total	96.2%	97.1%	96.5%	97.1%	96.6%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 1	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	77.7%	79.6%	79.9%	77.4%	80.1%	
19-64	58.2%	58.2%	59.9%	62.7%	60.2%	
65+	86.3%	86.6%	85.7%	87.2%	92.9%	*
Total	67.5%	68.1%	69.1%	70.6%	71.4%	
Percent of Individuals Who Had a Visit to an Emergo	ency Department					
0-18	19.6%	18.4%	19.0%	14.6%	19.8%	
19-64	19.7%	18.7%	17.3%	16.9%	15.2%	
65+	21.3%	22.7%	19.9%	20.9%	21.0%	
Total	20.0%	19.3%	18.2%	17.1%	17.4%	
Percent of Individuals Who Spent a Night in Hospita	ıl					
0-18	5.4%	3.4%	4.9%	5.3%	3.7%	
19-64	9.2%	6.4%	6.8%	8.4%	5.3%	
65+	17.8%	18.7%	15.2%	16.1%	16.2%	
Total	9.9%	7.8%	7.9%	9.1%	7.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


FLORIDA 71.4%






GA GEORGIA









GEORGIA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	96.3%	92.9%	94.5%	94.9%	95.8%	
19-64	81.2%	80.8%	77.3%	82.3%	84.5%	*
65+	99.1%	96.6%	96.1%	96.7%	98.7%	
Total	87.1%	85.8%	84.0%	87.3%	89.3%	*
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	96.7%	96.8%	97.8%	97.1%	97.3%	
19-64	94.4%	95.4%	95.6%	96.7%	95.8%	
65+	95.9%	98.7%	97.9%	98.5%	98.2%	
Total	95.2%	96.1%	96.5%	97.1%	96.5%	
Percent of Individuals Told that Provider Accepts In:	surance Type					
0-18	94.6%	97.6%	97.9%	98.4%	98.8%	
19-64	96.0%	97.8%	97.6%	97.7%	96.4%	
65+	96.7%	97.2%	97.1%	99.2%	96.6%	
Total	95.6%	97.7%	97.6%	98.1%	97.1%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	r Provider Visit					
0-18	80.1%	72.1%	79.6%	77.4%	80.3%	
19-64	59.8%	59.2%	59.1%	62.2%	64.5%	
65+	87.0%	87.8%	87.3%	88.3%	89.6%	
Total	68.0%	65.9%	67.7%	69.4%	71.9%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	19.2%	24.0%	16.6%	22.1%	16.2%	
19-64	21.7%	19.2%	16.5%	17.1%	21.1%	
65+	20.8%	23.2%	19.2%	23.6%	26.7%	
Total	20.9%	21.0%	16.8%	19.2%	20.5%	
Percent of Individuals Who Spent a Night in Hospita	al					
0-18	#N/A	4.2%	4.7%	#N/A	#N/A	
19-64	7.4%	10.1%	8.7%	5.2%	8.5%	
65+	15.1%	22.7%	20.0%	17.4%	16.4%	
Total	7.8%	9.8%	9.0%	7.2%	8.3%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


GEORGIA 71.9%
















HAWAII

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	al Care Other than Emergency Department					
0-18	#N/A	97.6%	#N/A	97.7%	99.4%	
19-64	86.0%	88.3%	89.5%	89.9%	88.2%	
65+	#N/A	#N/A	#N/A	98.4%	98.2%	
Total	90.7%	93.0%	91.7%	93.3%	92.8%	
Percent of Individuals Who Had No Trouble Finding I	Doctor					
0-18	#N/A	#N/A	#N/A	96.5%	98.9%	
19-64	95.9%	93.7%	96.9%	96.1%	97.7%	
65+	#N/A	98.1%	#N/A	96.7%	96.4%	
Total	96.3%	96.0%	97.4%	96.3%	97.6%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	#N/A	#N/A	#N/A	98.0%	99.4%	
19-64	96.1%	97.2%	97.6%	97.1%	99.5%	*
65+	#N/A	98.9%	#N/A	98.6%	99.7%	
Total	97.4%	98.2%	96.6%	97.6%	99.5%	*
TRENDS IN HEALTH CARE UTILIZATION. 2011 TO	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	#N/A	80.2%	#N/A	90.3%	83.3%	
19-64	64.8%	61.8%	59.2%	60.5%	57.0%	
65+	#N/A	77.1%	#N/A	85.5%	93.6%	
Total	71.3%	69.1%	66.4%	71.8%	71.0%	
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	#N/A	#N/A	#N/A	#N/A	9.6%	
19-64	7.8%	15.1%	#N/A	8.0%	#N/A	
65+	#N/A	13.1%	#N/A	#N/A	29.6%	
Total	10.7%	13.3%	14.9%	8.7%	14.5%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	#N/A	#N/A	10.5%	#N/A	6.8%	
65+	#N/A	8.6%	#N/A	8.3%	21.3%	
Total	#N/A	7.6%	8.7%	#N/A	10.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


HAWAII 71.0%
















IOWA

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Me	dical Care Other than Emergency Department					
0-18	96.9%	96.4%	96.2%	97.3%	98.0%	
19-64	88.7%	78.1%	82.6%	87.6%	85.0%	
65+	97.6%	97.8%	#N/A	97.4%	97.5%	
Total	91.7%	85.4%	87.7%	91.5%	90.2%	
Percent of Individuals Who Had No Trouble Findi	ng Doctor					
0-18	97.1%	98.5%	99.7%	97.5%	99.6%	
19-64	97.9%	97.8%	98.5%	98.2%	94.5%	*
65+	98.4%	#N/A	#N/A	98.7%	98.0%	
Total	97.8%	98.3%	99.0%	98.1%	96.3%	*
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	97.4%	99.2%	99.4%	97.6%	97.9%	
19-64	98.2%	99.3%	98.8%	97.4%	97.1%	
65+	#N/A	#N/A	#N/A	#N/A	98.9%	
Total	98.2%	99.4%	99.1%	97.8%	97.6%	
TRENDS IN HEALTH CARE UTILIZATION, 201	1 TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	92.6%	76.6%	86.6%	88.0%	79.2%	
19-64	69.7%	65.5%	64.6%	70.2%	65.8%	
65+	89.3%	85.2%	#N/A	89.8%	80.1%	
Total	77.5%	71.0%	73.2%	77.6%	71.4%	
Percent of Individuals Who Had a Visit to an Eme	rgency Department					
0-18	17.9%	15.1%	17.2%	12.8%	16.4%	
19-64	15.1%	15.3%	20.3%	15.7%	20.0%	
65+	16.8%	24.1%	#N/A	18.0%	21.8%	
Total	16.0%	16.5%	18.9%	15.2%	19.4%	
Percent of Individuals Who Spent a Night in Hosp	ital					
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	6.2%	7.7%	9.2%	5.8%	9.3%	
65+	14.3%	15.7%	#N/A	#N/A	16.4%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


IOWA 71.4%







ID











IDAHO

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals with a Usual Source of Medical (Care Other than Emergency Department					
0-18	#N/A	90.6%	91.3%	94.2%	93.0%	
19-64	75.9%	69.5%	76.3%	72.8%	82.6%	
65+	#N/A	92.6%	#N/A	94.2%	95.5%	
Total	84.4%	78.7%	82.6%	83.0%	86.9%	
ercent of Individuals Who Had No Trouble Finding Do	ctor					
0-18	#N/A	97.1%	98.5%	98.5%	98.6%	
19-64	96.8%	96.2%	96.0%	94.3%	96.1%	
65+	#N/A	88.1%	#N/A	95.5%	91.4%	
Total	97.2%	95.3%	96.9%	95.9%	96.2%	
Percent of Individuals Told that Provider Accepts Insur	ance Type					
0-18	#N/A	96.6%	99.9%	99.1%	98.6%	
19-64	96.4%	96.1%	96.0%	96.3%	98.8%	
65+	#N/A	90.0%	#N/A	97.4%	95.0%	
Total	97.5%	95.4%	96.5%	97.4%	98.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor or Pr	ovider Visit					
0-18	#N/A	83.3%	79.8%	77.1%	86.1%	
19-64	53.9%	57.2%	51.8%	59.0%	62.1%	*
65+	#N/A	92.8%	#N/A	82.7%	86.0%	
Total	63.5%	69.7%	62.0%	68.4%	71.4%	*
ercent of Individuals Who Had a Visit to an Emergenc	y Department				_	
0-18	#N/A	18.8%	14.0%	17.0%	19.9%	*
19-64	12.5%	12.7%	12.0%	14.1%	18.5%	
65+	#N/A	32.4%	#N/A	15.4%	19.5%	
Total	14.8%	17.2%	12.8%	15.3%	19.0%	*
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	4.6%	#N/A	4.0%	#N/A	
19-64	4.6%	8.0%	#N/A	#N/A	6.1%	
			•			
65+	#N/A	23.6%	#N/A	9.6%	16.1%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


IDAHO 71.4%







ILLINOIS











ILLINOIS

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	al Care Other than Emergency Department					
0-18	96.4%	97.0%	94.4%	98.0%	97.7%	
19-64	79.7%	82.0%	79.3%	82.8%	85.5%	*
65+	95.3%	96.0%	94.4%	96.3%	96.6%	
Total	85.7%	87.1%	85.4%	88.5%	89.9%	*
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	96.0%	97.3%	97.1%	98.8%	96.5%	
19-64	95.9%	95.3%	95.5%	96.0%	95.4%	
65+	98.6%	97.8%	95.1%	97.9%	97.8%	
Total	96.2%	96.1%	95.9%	97.0%	96.0%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	95.5%	98.7%	97.0%	99.4%	97.1%	
19-64	96.4%	96.5%	97.1%	97.0%	96.9%	
65+	99.6%	99.7%	98.1%	96.6%	99.8%	
Total	96.5%	97.4%	97.2%	97.5%	97.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	86.1%	84.0%	84.2%	90.3%	86.4%	
19-64	60.4%	66.0%	64.1%	66.9%	68.6%	
65+	82.8%	89.1%	89.3%	90.7%	92.0%	
Total	69.4%	72.8%	73.1%	76.1%	76.1%	
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	20.7%	20.5%	19.4%	23.2%	20.3%	
19-64	18.4%	15.5%	18.0%	22.8%	18.6%	
65+	23.0%	24.1%	24.1%	28.2%	17.5%	
Total	19.5%	17.6%	19.2%	23.7%	18.9%	
Percent of Individuals Who Spent a Night in Hospita					_	
0-18	6.1%	4.2%	#N/A	5.4%	6.5%	
19-64	7.3%	6.4%	8.8%	7.6%	6.2%	
65+	20.1%	26.8%	18.7%	20.5%	15.9%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


ILLINOIS 76.1%







INDIANA











INDIANA

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	lical Care Other than Emergency Department					
0-18	96.5%	94.9%	96.8%	98.3%	96.0%	
19-64	86.8%	81.0%	77.7%	85.0%	76.5%	
65+	98.8%	95.8%	99.8%	94.6%	98.6%	
Total	90.9%	86.3%	86.2%	89.8%	84.8%	
Percent of Individuals Who Had No Trouble Findi	ng Doctor					
0-18	97.4%	98.1%	99.3%	97.0%	98.2%	
19-64	96.7%	95.9%	96.2%	97.8%	95.7%	
65+	99.5%	97.3%	98.7%	#N/A	95.4%	
Total	97.2%	96.7%	97.4%	97.9%	96.3%	
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	98.4%	96.9%	98.8%	97.0%	97.9%	
19-64	98.2%	96.7%	97.3%	97.9%	95.8%	
65+	99.5%	97.9%	97.6%	97.7%	99.4%	
Total	98.4%	96.9%	97.8%	97.6%	96.9%	
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	81.0%	84.1%	87.1%	88.9%	84.9%	
19-64	71.5%	66.4%	70.6%	64.4%	61.8%	
65+	89.7%	81.7%	90.5%	76.6%	86.9%	
Total	76.3%	72.7%	78.1%	72.5%	71.5%	
Percent of Individuals Who Had a Visit to an Eme	gency Department					
0-18	15.1%	18.2%	20.5%	14.1%	18.7%	
19-64	24.9%	18.9%	16.5%	21.9%	18.8%	
65+	19.2%	18.4%	28.9%	22.4%	21.0%	
Total	21.6%	18.7%	19.3%	19.8%	19.1%	
Percent of Individuals Who Spent a Night in Hosp	ital					
0-18	6.4%	#N/A	#N/A	#N/A	#N/A	
19-64	10.4%	5.7%	7.1%	#N/A	6.5%	
65+	10.1%	19.6%	17.7%	17.0%	15.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


INDIANA 71.5%
















KANSAS

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	96.4%	94.9%	96.5%	94.7%	98.6%	
19-64	81.5%	87.3%	81.2%	83.7%	83.9%	
65+	#N/A	#N/A	93.5%	97.5%	97.0%	
Total	87.6%	91.0%	87.1%	89.0%	89.8%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	99.0%	98.2%	96.0%	98.3%	99.8%	*
19-64	97.1%	98.6%	96.9%	96.7%	98.3%	
65+	#N/A	#N/A	98.7%	98.0%	99.5%	
Total	97.8%	98.6%	96.9%	97.3%	98.9%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	98.7%	98.8%	99.7%	98.8%	98.1%	
19-64	98.2%	99.1%	98.8%	98.2%	98.7%	
65+	#N/A	#N/A	98.4%	98.3%	#N/A	
Total	98.4%	99.1%	99.0%	98.4%	98.8%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	80.0%	79.6%	78.3%	84.2%	85.9%	
19-64	59.6%	58.2%	61.0%	63.6%	74.8%	*
65+	#N/A	#N/A	74.5%	92.3%	87.8%	*
Total	69.0%	67.7%	67.6%	74.0%	79.7%	*
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	14.6%	15.9%	16.9%	11.0%	20.0%	
19-64	13.8%	15.0%	18.1%	15.0%	16.1%	
65+	#N/A	#N/A	24.5%	30.2%	18.7%	
Total	14.6%	17.0%	18.7%	16.5%	17.5%	
Percent of Individuals Who Spent a Night in Hospita	<u></u>				_	
0-18	6.8%	#N/A	#N/A	#N/A	#N/A	
19-64	9.2%	5.8%	9.1%	8.9%	7.9%	
65+	#N/A	#N/A	8.9%	14.6%	17.0%	*


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


KANSAS __79.7%
















KENTUCKY

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	ical Care Other than Emergency Department				_	
0-18	98.4%	93.8%	95.9%	95.1%	96.6%	
19-64	79.9%	75.6%	82.0%	77.3%	84.4%	
65+	91.9%	94.1%	98.1%	98.3%	#N/A	
Total	85.5%	82.3%	87.3%	84.5%	89.7%	
Percent of Individuals Who Had No Trouble Findir	g Doctor					
0-18	99.0%	98.0%	94.4%	98.4%	97.6%	
19-64	95.5%	93.1%	95.4%	95.1%	92.7%	
65+	#N/A	97.0%	97.9%	97.4%	99.6%	*
Total	96.8%	94.8%	95.5%	96.2%	94.9%	
Percent of Individuals Told that Provider Accepts	nsurance Type					
0-18	99.0%	95.0%	93.2%	97.3%	98.7%	*
19-64	97.5%	96.7%	98.4%	95.6%	96.5%	
65+	#N/A	98.5%	97.6%	98.1%	#N/A	
Total	98.2%	96.5%	97.1%	96.4%	97.5%	
TRENDS IN HEALTH CARE UTILIZATION. 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	83.4%	86.0%	90.7%	83.6%	92.8%	
19-64	67.8%	65.6%	62.7%	68.9%	69.8%	*
65+	85.5%	91.4%	91.7%	91.8%	91.3%	
Total	73.4%	73.8%	72.9%	75.6%	78.7%	*
Percent of Individuals Who Had a Visit to an Emer	gency Department					
0-18	23.1%	28.5%	22.4%	19.7%	23.3%	
19-64	20.7%	30.2%	24.7%	25.4%	26.0%	
65+	32.3%	35.3%	30.6%	32.0%	27.2%	
Total	22.6%	30.4%	24.9%	24.9%	25.5%	
Percent of Individuals Who Spent a Night in Hospi	tal					
0-18	8.8%	5.8%	#N/A	#N/A	10.0%	
			0.20/	10.4%	11.8%	
19-64	10.7%	13.2%	9.2%	10.4%	11.8%	
	10.7% #N/A	13.2% 26.6%	9.2% 16.5%	#N/A	20.0%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


KENTUCKY 78.7%
















LOUISIANA

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	dical Care Other than Emergency Department				_	
0-18	96.4%	96.4%	95.1%	98.8%	95.0%	
19-64	83.2%	78.1%	80.9%	82.4%	82.2%	
65+	92.4%	91.1%	97.8%	96.3%	97.9%	
Total	87.6%	84.9%	86.9%	88.4%	88.1%	
Percent of Individuals Who Had No Trouble Findi	ng Doctor					
0-18	98.6%	94.9%	95.2%	96.9%	97.8%	
19-64	93.9%	95.0%	94.8%	93.6%	95.6%	
65+	92.9%	99.3%	97.5%	98.0%	92.8%	
Total	94.9%	95.6%	95.2%	95.1%	95.6%	
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	97.7%	98.6%	95.5%	98.4%	99.2%	
19-64	95.4%	96.8%	97.5%	96.9%	96.7%	
65+	96.4%	96.9%	99.4%	97.6%	89.7%	*
Total	96.1%	97.3%	97.2%	97.4%	96.1%	
TRENDS IN HEALTH CARE UTILIZATION, 201	1 TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	75.6%	78.3%	83.1%	84.2%	82.2%	
19-64	63.2%	54.3%	59.3%	63.3%	67.0%	
65+	82.5%	78.8%	90.0%	90.4%	91.5%	
Total	68.8%	64.4%	69.6%	72.4%	75.0%	
Percent of Individuals Who Had a Visit to an Eme	rgency Department					
0-18	17.6%	16.6%	17.8%	19.1%	11.3%	
19-64	22.9%	22.3%	17.0%	18.4%	15.5%	
65+	28.9%	20.1%	20.6%	20.5%	22.6%	
Total	22.4%	20.5%	17.6%	18.9%	15.7%	
Percent of Individuals Who Spent a Night in Hosp	ital					
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	10.1%	8.8%	8.8%	9.9%	6.9%	
65+	16.2%	21.1%	13.0%	13.8%	19.2%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


LOUISIANA 75.0%
















MASSACHUSETTS

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	99.0%	99.0%	97.7%	98.4%	97.8%	
19-64	88.5%	89.8%	92.8%	92.4%	92.0%	
65+	96.9%	96.2%	96.2%	99.1%	#N/A	
Total	92.3%	92.7%	94.3%	95.0%	93.6%	
ercent of Individuals Who Had No Trouble Finding D	octor					
0-18	96.9%	99.6%	97.9%	97.7%	97.2%	
19-64	94.9%	95.6%	94.3%	95.9%	95.1%	
65+	96.6%	98.3%	99.1%	96.5%	#N/A	
Total	95.7%	96.8%	95.7%	96.4%	96.0%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	96.5%	97.7%	98.2%	99.1%	98.2%	
19-64	96.3%	95.7%	95.9%	96.3%	97.9%	
65+	98.9%	#N/A	99.5%	98.8%	#N/A	
Total	96.7%	96.8%	96.9%	97.4%	98.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	95.4%	91.5%	93.0%	92.7%	95.5%	
19-64	74.6%	76.4%	77.4%	71.4%	78.5%	
65+	91.9%	89.0%	91.4%	93.6%	#N/A	
Total	82.2%	81.6%	82.6%	80.5%	84.2%	
ercent of Individuals Who Had a Visit to an Emergen	cy Department					
0-18	19.4%	16.4%	15.8%	14.7%	19.8%	
19-64	20.8%	21.0%	19.2%	18.3%	19.0%	
65+	26.9%	31.2%	23.4%	23.2%	#N/A	
Total	21.5%	21.7%	19.0%	18.6%	20.2%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	6.1%	#N/A	#N/A	8.3%	#N/A	
19-64	6.7%	7.2%	8.4%	9.6%	9.0%	
65+	18.2%	24.8%	19.3%	15.9%	#N/A	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MASSACHUSETTS 84.2%







MD MARYLAND











MARYLAND

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	lical Care Other than Emergency Department					
0-18	98.4%	94.8%	98.6%	98.9%	96.1%	
19-64	88.6%	83.3%	86.1%	85.0%	89.6%	
65+	98.9%	95.8%	#N/A	98.3%	96.3%	
Total	92.3%	87.7%	91.1%	90.4%	92.1%	
Percent of Individuals Who Had No Trouble Findi	ng Doctor					
0-18	99.7%	99.4%	97.9%	98.7%	94.7%	
19-64	95.2%	98.9%	97.7%	96.6%	96.6%	
65+	98.4%	#N/A	#N/A	95.3%	98.7%	
Total	96.7%	99.2%	98.1%	97.0%	96.4%	
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	98.9%	96.5%	98.0%	99.3%	98.5%	
19-64	96.1%	97.8%	96.4%	96.8%	98.5%	
65+	99.4%	98.1%	98.2%	93.7%	98.1%	
Total	97.2%	97.5%	97.0%	97.0%	98.5%	
TRENDS IN HEALTH CARE UTILIZATION, 201	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	91.8%	82.0%	87.0%	93.1%	91.7%	
19-64	69.0%	66.5%	66.1%	68.7%	74.4%	
65+	88.7%	81.1%	91.0%	91.3%	90.8%	
Total	77.1%	72.2%	74.8%	78.1%	80.7%	
Percent of Individuals Who Had a Visit to an Eme	gency Department					
0-18	17.5%	16.6%	16.3%	10.7%	10.5%	
19-64	24.2%	17.1%	18.2%	20.0%	22.5%	
65+	21.4%	17.0%	20.5%	#N/A	25.9%	
Total	22.2%	17.0%	18.1%	17.5%	20.2%	
Percent of Individuals Who Spent a Night in Hosp	ital					
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	6.9%	8.3%	8.8%	11.0%	7.2%	
65+	16.1%	16.7%	10.3%	10.1%	17.0%	


 $[\]boldsymbol{*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MARYLAND 80.7%






ME MAINE









MAINE

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	#N/A	98.2%	99.5%	99.6%	95.7%	
19-64	87.8%	92.3%	92.0%	87.3%	86.4%	
65+	#N/A	#N/A	97.7%	98.0%	95.2%	
Total	91.5%	94.5%	94.7%	91.7%	90.3%	
ercent of Individuals Who Had No Trouble Finding De	octor					
0-18	#N/A	97.2%	99.6%	98.4%	99.2%	
19-64	96.2%	95.6%	97.1%	96.3%	96.7%	
65+	#N/A	#N/A	99.5%	99.8%	98.8%	
Total	97.6%	96.5%	98.1%	97.4%	97.7%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	#N/A	97.2%	98.4%	99.8%	99.0%	
19-64	98.0%	97.8%	97.9%	98.2%	97.5%	
65+	#N/A	#N/A	99.5%	97.6%	99.5%	
Total	98.9%	97.9%	98.3%	98.4%	98.2%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	#N/A	85.7%	81.2%	83.6%	86.2%	
19-64	70.8%	67.3%	70.4%	68.5%	69.5%	
65+	#N/A	#N/A	88.2%	88.0%	86.6%	
Total	78.7%	73.8%	76.0%	75.1%	76.7%	
Percent of Individuals Who Had a Visit to an Emergen	cy Department					
0-18	#N/A	14.7%	20.9%	#N/A	20.6%	
19-64	18.3%	18.2%	18.5%	22.1%	23.3%	
65+	#N/A	#N/A	26.8%	21.7%	23.8%	
Total	18.5%	17.7%	20.4%	21.7%	22.8%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	#N/A	#N/A	7.9%	#N/A	5.4%	*
		#N/A	14.5%	13.1%	13.3%	
65+	#N/A	#IN/A	14.570	15.170	15.570	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MAINE 76.7%






MI MICHIGAN









MICHIGAN

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	94.4%	95.2%	96.0%	96.4%	90.1%	*
19-64	82.4%	82.6%	83.6%	85.6%	80.8%	
65+	95.7%	94.2%	96.8%	97.5%	94.9%	
Total	87.2%	87.6%	88.4%	89.8%	85.0%	
ercent of Individuals Who Had No Trouble Finding D	octor					
0-18	96.0%	96.5%	95.3%	98.5%	97.6%	
19-64	95.7%	96.3%	96.4%	95.7%	94.7%	
65+	97.2%	96.7%	95.6%	98.9%	98.0%	
Total	96.0%	96.4%	96.0%	96.8%	95.8%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	96.0%	96.6%	95.5%	98.7%	97.3%	
19-64	96.4%	97.2%	96.2%	97.1%	96.8%	
65+	98.8%	98.7%	98.7%	99.1%	98.3%	
Total	96.6%	97.3%	96.4%	97.7%	97.1%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	89.6%	88.2%	90.2%	86.5%	83.9%	
19-64	68.5%	70.4%	71.7%	72.8%	65.5%	
65+	89.5%	90.7%	90.4%	89.1%	90.1%	
Total	76.7%	77.9%	78.8%	78.3%	73.4%	*
Percent of Individuals Who Had a Visit to an Emergen	cy Department					
0-18	25.4%	20.3%	17.1%	19.3%	18.4%	
19-64	21.1%	24.1%	20.5%	21.4%	24.3%	
65+	33.1%	30.8%	21.3%	25.4%	26.3%	
Total	23.6%	24.0%	19.8%	21.4%	23.1%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	6.6%	7.0%	#N/A	4.1%	#N/A	
19-64	10.1%	9.8%	7.3%	6.9%	8.7%	
65+	21.8%	22.6%	15.6%	19.2%	18.0%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MICHIGAN 73.4%






MN MINNESOTA









MINNESOTA

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	ical Care Other than Emergency Department					
0-18	96.9%	98.5%	95.5%	97.2%	97.9%	
19-64	86.1%	84.9%	88.4%	85.7%	87.9%	
65+	98.9%	94.6%	95.9%	94.8%	97.9%	
Total	90.2%	89.6%	91.4%	89.5%	91.9%	
Percent of Individuals Who Had No Trouble Findir	g Doctor					
0-18	98.8%	98.3%	97.3%	98.8%	#N/A	
19-64	98.2%	96.7%	97.3%	98.4%	98.8%	
65+	97.9%	97.2%	99.4%	96.8%	#N/A	
Total	98.3%	97.2%	97.6%	98.4%	99.3%	*
Percent of Individuals Told that Provider Accepts	nsurance Type					
0-18	98.8%	98.0%	#N/A	98.9%	99.5%	
19-64	98.0%	97.4%	98.7%	98.3%	99.1%	
65+	97.4%	98.0%	99.2%	#N/A	#N/A	
Total	98.2%	97.6%	99.1%	98.6%	99.4%	
TRENDS IN HEALTH CARE UTILIZATION. 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	74.0%	80.7%	79.8%	85.3%	82.2%	
19-64	60.1%	63.9%	61.9%	66.3%	60.7%	
65+	83.8%	87.1%	80.8%	79.2%	81.0%	
Total	66.1%	71.2%	69.4%	72.4%	69.2%	
Percent of Individuals Who Had a Visit to an Emer	gency Department					
0-18	14.6%	11.2%	17.9%	16.9%	14.0%	
19-64	16.1%	18.5%	18.6%	15.1%	12.7%	*
65+	17.6%	19.9%	20.1%	20.2%	22.6%	
Total	15.9%	16.8%	18.6%	16.1%	14.3%	*
Percent of Individuals Who Spent a Night in Hospi	tal					
0-18	4.5%	6.0%	7.3%	8.1%	5.9%	
19-64	6.4%	8.8%	7.4%	5.6%	5.5%	
65+	10.9%	14.2%	13.9%	18.6%	24.5%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MINNESOTA 69.2%






MO MISSOURI









MISSOURI

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical Care O	ther than Emergency Department					
0-18	94.9%	93.6%	90.8%	96.1%	92.6%	
19-64	79.3%	80.2%	75.7%	83.6%	76.9%	
65+	97.6%	98.9%	95.5%	96.2%	96.2%	
Total	85.8%	86.1%	82.3%	88.0%	83.9%	
Percent of Individuals Who Had No Trouble Finding Doctor						
0-18	98.3%	97.8%	95.0%	98.9%	98.6%	
19-64	95.5%	96.6%	97.3%	97.7%	94.4%	
65+	99.2%	98.7%	#N/A	98.2%	97.4%	
Total	96.7%	97.2%	97.2%	98.0%	96.0%	
Percent of Individuals Told that Provider Accepts Insurance T	уре					
0-18	97.9%	98.5%	96.7%	98.9%	97.7%	
19-64	96.8%	98.0%	98.9%	98.7%	98.5%	
65+	99.4%	98.4%	98.1%	98.5%	#N/A	
Total	97.4%	98.2%	98.3%	98.7%	98.5%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or Provider	r Visit					
0-18	79.0%	79.2%	77.5%	85.6%	81.4%	
19-64	64.5%	61.9%	63.4%	66.9%	64.8%	
65+	90.9%	86.5%	90.7%	80.2%	86.7%	
Total	71.8%	69.6%	70.9%	72.8%	72.5%	
Percent of Individuals Who Had a Visit to an Emergency Department	artment					
0-18	20.1%	#N/A	20.4%	24.7%	19.1%	
19-64	22.0%	23.8%	19.7%	14.4%	23.8%	
65+	25.3%	23.4%	18.4%	22.7%	32.4%	*
Total	22.0%	21.5%	19.6%	17.8%	24.0%	
Percent of Individuals Who Spent a Night in Hospital						
0.40	7.7%	#N/A	5.2%	#N/A	#N/A	
0-18	7.770					
0-18 19-64	9.0%	10.4%	6.7%	5.6%	7.8%	
			6.7% #N/A	5.6% 17.6%	7.8% 18.8%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

MISSOURI 72.5%








MS













MISSISSIPPI

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	95.5%	94.4%	95.3%	95.7%	94.8%	
19-64	81.3%	81.6%	82.7%	80.7%	85.2%	
65+	92.0%	94.4%	95.8%	97.5%	95.9%	
Total	86.5%	86.4%	87.5%	87.0%	89.4%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	94.5%	99.2%	98.1%	97.9%	#N/A	
19-64	93.2%	94.5%	95.6%	95.1%	96.2%	
65+	97.7%	95.7%	99.0%	98.0%	96.4%	
Total	94.3%	95.8%	96.7%	96.2%	97.1%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	96.2%	97.8%	96.7%	95.6%	98.3%	
19-64	96.6%	96.6%	97.1%	95.7%	95.9%	
65+	98.4%	99.5%	98.8%	97.2%	99.7%	
Total	96.8%	97.3%	97.2%	95.9%	97.2%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 1	O 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	77.5%	72.8%	77.6%	79.0%	77.2%	
19-64	57.8%	55.7%	59.6%	60.7%	68.0%	
65+	79.9%	75.1%	81.6%	80.7%	81.9%	
Total	66.3%	62.5%	67.0%	68.3%	72.7%	
ercent of Individuals Who Had a Visit to an Emerg	ency Department				_	
0-18	#N/A	27.3%	29.0%	18.9%	15.9%	*
19-64	26.1%	24.4%	21.6%	19.8%	16.9%	
65+	21.5%	23.6%	22.6%	19.2%	20.7%	
Total	25.3%	25.0%	23.5%	19.5%	17.5%	
Percent of Individuals Who Spent a Night in Hospita	ıl					
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	8.0%	9.7%	7.1%	6.6%	7.5%	
	21.8%	25.6%	14.4%	14.3%	#N/A	
65+	21.0/0					


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MISSISSIPPI 72.7%









HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015









10%

50%

MONTANA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	cal Care Other than Emergency Department					
0-18	#N/A	99.7%	#N/A	96.3%	95.5%	
19-64	84.4%	84.3%	87.6%	84.3%	87.6%	
65+	#N/A	#N/A	#N/A	98.4%	97.7%	
Total	89.4%	92.2%	91.4%	90.3%	91.8%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	#N/A	98.1%	#N/A	96.9%	98.2%	
19-64	91.3%	95.9%	96.2%	96.9%	97.7%	
65+	#N/A	#N/A	#N/A	98.2%	98.9%	
Total	93.3%	97.1%	94.6%	97.2%	98.1%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	#N/A	97.5%	#N/A	98.2%	#N/A	
19-64	93.2%	98.4%	98.9%	98.6%	98.0%	
65+	#N/A	#N/A	#N/A	99.2%	#N/A	
Total	95.8%	98.3%	97.7%	98.7%	99.0%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 1	TO 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	#N/A	#N/A	#N/A	78.2%	77.5%	
19-64	52.8%	57.4%	59.4%	51.9%	53.6%	
65+	#N/A	#N/A	#N/A	81.2%	81.0%	
Total	61.9%	67.5%	71.3%	64.7%	65.6%	
Percent of Individuals Who Had a Visit to an Emerg	ency Department					
0-18	#N/A	26.7%	#N/A	11.7%	16.6%	
19-64	17.5%	15.0%	21.7%	15.5%	11.8%	
65+	#N/A	#N/A	#N/A	19.2%	#N/A	
Total	17.6%	18.8%	#N/A	15.6%	13.1%	
Percent of Individuals Who Spent a Night in Hospita	al					
0-18	#N/A	#N/A	#N/A	#N/A	3.7%	
19-64	#N/A	6.2%	#N/A	7.9%	7.0%	
65+	#N/A	#N/A	#N/A	19.8%	#N/A	
		5.1%		9.5%		


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


MONTANA 65.6%
















NORTH CAROLINA

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	lical Care Other than Emergency Department					
0-18	97.0%	96.9%	97.5%	96.6%	96.4%	
19-64	80.6%	77.8%	83.6%	83.9%	80.8%	
65+	98.6%	98.9%	97.2%	97.4%	96.7%	
Total	87.5%	86.9%	89.2%	89.5%	87.4%	
Percent of Individuals Who Had No Trouble Findir	ng Doctor					
0-18	98.9%	98.6%	99.3%	99.1%	97.4%	
19-64	93.9%	95.4%	97.5%	96.2%	95.2%	
65+	99.2%	99.0%	97.4%	95.7%	99.0%	
Total	96.0%	97.0%	97.9%	97.0%	96.4%	
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	98.8%	99.4%	99.1%	99.0%	98.2%	
19-64	97.4%	98.8%	96.9%	97.4%	97.1%	
65+	98.6%	96.7%	98.4%	98.7%	96.2%	
Total	97.9%	98.5%	97.7%	98.0%	97.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	80.3%	83.1%	82.1%	81.3%	86.1%	
19-64	61.2%	62.0%	64.5%	63.5%	60.5%	
65+	92.3%	89.1%	82.6%	84.9%	87.9%	
Total	70.7%	72.9%	71.9%	71.7%	71.6%	
Percent of Individuals Who Had a Visit to an Emer	gency Department					
0-18	17.5%	16.2%	17.5%	19.4%	20.9%	
19-64	20.6%	18.7%	22.0%	20.5%	21.8%	
65+	28.6%	20.7%	20.3%	20.3%	13.9%	
Total	21.0%	18.4%	20.6%	20.1%	20.2%	
ercent of Individuals Who Spent a Night in Hospi	ital					
0-18	7.4%	#N/A	#N/A	4.3%	#N/A	
19-64	8.3%	9.6%	8.2%	8.4%	7.9%	
65+	17.7%	13.4%	14.3%	13.6%	9.9%	
03+	17.770	13.470	111070	10.070	3.370	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

NORTH CAROLINA 71.6%








ND ___

HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015

NORTH DAKOTA









NORTH DAKOTA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	al Care Other than Emergency Department					
0-18	#N/A	#N/A	#N/A	97.8%	99.1%	
19-64	84.2%	85.6%	79.2%	88.2%	84.1%	
65+	#N/A	#N/A	#N/A	96.6%	98.8%	
Total	88.4%	89.2%	85.2%	91.8%	89.9%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	#N/A	#N/A	#N/A	99.4%	98.1%	
19-64	98.0%	#N/A	99.1%	97.3%	97.9%	
65+	#N/A	#N/A	#N/A	99.6%	98.6%	
Total	97.0%	98.9%	99.2%	98.2%	98.1%	
Percent of Individuals Told that Provider Accepts Ins	surance Type					
0-18	#N/A	#N/A	#N/A	#N/A	99.3%	
19-64	#N/A	#N/A	99.6%	99.0%	99.9%	
65+	#N/A	#N/A	#N/A	99.2%	99.4%	
Total	99.5%	99.3%	99.8%	99.2%	99.7%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	#N/A	#N/A	#N/A	91.3%	77.1%	
19-64	66.8%	64.0%	62.8%	72.2%	67.0%	
65+	#N/A	#N/A	#N/A	89.5%	91.8%	
Total	69.5%	72.5%	67.6%	79.6%	73.2%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	#N/A	#N/A	#N/A	10.7%	13.0%	
19-64	#N/A	14.4%	#N/A	14.2%	13.0%	
65+	#N/A	#N/A	#N/A	11.0%	25.8%	
Total	16.3%	14.3%	9.1%	12.8%	14.9%	*
Percent of Individuals Who Spent a Night in Hospita	I					
0-18	#N/A	#N/A	#N/A	#N/A	16.4%	
19-64	10.1%	#N/A	7.5%	6.9%	6.5%	
65+	#N/A	#N/A	#N/A	16.5%	25.3%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


NORTH DAKOTA 73.2%






NE NEBRASKA









NEBRASKA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical (Care Other than Emergency Department					
0-18	95.6%	95.6%	96.6%	96.5%	92.9%	
19-64	92.3%	86.9%	84.2%	82.9%	86.5%	
65+	#N/A	97.4%	97.4%	94.9%	98.9%	
Total	93.3%	90.6%	89.1%	88.0%	90.2%	
Percent of Individuals Who Had No Trouble Finding Do	octor					
0-18	95.7%	#N/A	97.9%	99.6%	98.4%	
19-64	97.6%	97.9%	95.5%	97.6%	96.6%	
65+	#N/A	98.8%	98.4%	98.4%	#N/A	
Total	97.3%	98.6%	96.5%	98.2%	97.7%	
Percent of Individuals Told that Provider Accepts Insur	апсе Туре					
0-18	95.8%	98.7%	98.8%	99.6%	97.0%	
19-64	98.4%	98.8%	98.7%	99.0%	98.3%	
65+	#N/A	98.8%	98.4%	#N/A	99.9%	
Total	97.8%	98.8%	98.7%	99.3%	98.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or Pr	ovider Visit					
0-18	80.3%	79.7%	76.0%	72.8%	88.6%	*
19-64	67.8%	62.4%	62.5%	59.6%	65.5%	
65+	#N/A	84.5%	85.2%	84.6%	90.8%	
Total	73.3%	69.9%	69.1%	66.3%	75.3%	
Percent of Individuals Who Had a Visit to an Emergenc	y Department					
0-18	9.9%	14.1%	15.2%	17.9%	#N/A	
19-64	16.2%	19.7%	19.2%	15.4%	12.7%	
65+	#N/A	22.0%	26.0%	19.1%	23.4%	
Total	13.7%	18.6%	19.4%	16.5%	15.8%	
Percent of Individuals Who Spent a Night in Hospital						_
0-18	#N/A	5.6%	#N/A	3.3%	5.5%	
19-64	#N/A	8.2%	7.2%	6.7%	6.3%	
65+	#N/A	12.2%	12.5%	11.9%	24.1%	*
Total	#N/A	8.1%	7.2%	6.5%	9.5%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

NEBRASKA 75.3%








NEW HAMPSHIRE













NEW HAMPSHIRE

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	#N/A	97.0%	99.2%	96.4%	97.9%	
19-64	84.1%	82.8%	90.0%	89.0%	91.9%	
65+	#N/A	93.4%	96.7%	93.5%	97.6%	
Total	90.0%	87.9%	93.3%	91.2%	94.1%	
Percent of Individuals Who Had No Trouble Finding Do	ctor					
0-18	#N/A	98.8%	97.5%	99.4%	97.8%	
19-64	94.8%	95.7%	94.7%	96.4%	93.6%	
65+	#N/A	98.5%	98.5%	93.4%	98.0%	
Total	96.5%	96.9%	96.0%	96.5%	95.3%	
Percent of Individuals Told that Provider Accepts Insur	ance Type					
0-18	#N/A	99.8%	99.7%	97.2%	97.4%	
19-64	96.9%	97.6%	96.5%	96.1%	95.5%	
65+	#N/A	98.9%	99.6%	96.1%	#N/A	
Total	96.8%	98.3%	97.8%	96.3%	96.6%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or Pr	ovider Visit					
0-18	#N/A	73.6%	92.8%	90.4%	90.7%	
19-64	67.1%	63.3%	71.0%	72.6%	61.2%	
65+	#N/A	78.1%	84.1%	85.3%	88.4%	
Total	76.1%	68.0%	78.4%	78.2%	72.1%	
Percent of Individuals Who Had a Visit to an Emergenc	y Department					
0-18	#N/A	17.3%	15.2%	#N/A	9.0%	
19-64	#N/A	17.8%	19.7%	22.2%	18.6%	
65+	#N/A	23.9%	20.3%	24.5%	#N/A	
Total	24.9%	18.5%	18.7%	20.6%	17.2%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	#N/A	#N/A	5.0%	7.4%	#N/A	
19-64	#N/A	7.2%	9.7%	#N/A	11.1%	
65+	, #N/A	#N/A	11.2%	14.1%	16.9%	
03+						


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

NEW HAMPSHIRE 72.1%







NJ




HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015

NEW JERSEY









NEW JERSEY

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	97.2%	97.3%	97.6%	96.2%	98.9%	
19-64	88.3%	84.1%	84.8%	84.3%	88.6%	
65+	96.9%	96.4%	96.1%	97.1%	96.5%	
Total	91.7%	89.2%	89.7%	89.2%	92.4%	
ercent of Individuals Who Had No Trouble Finding D	octor					
0-18	97.7%	98.5%	99.5%	98.0%	95.5%	*
19-64	95.0%	97.6%	97.4%	98.0%	97.2%	
65+	96.3%	98.8%	98.6%	96.9%	96.7%	
Total	95.8%	98.0%	98.1%	97.8%	96.7%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	95.4%	97.9%	96.3%	96.5%	96.9%	
19-64	95.4%	96.9%	97.8%	97.2%	95.7%	
65+	97.7%	98.8%	94.5%	96.2%	97.2%	
Total	95.8%	97.4%	97.0%	96.9%	96.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	87.5%	79.0%	86.1%	76.6%	82.9%	
19-64	64.6%	65.9%	61.7%	65.5%	65.7%	
65+	83.0%	85.3%	80.4%	86.9%	83.1%	
Total	72.6%	71.9%	70.7%	71.6%	72.8%	
ercent of Individuals Who Had a Visit to an Emergen	cy Department					
0-18	14.3%	14.3%	27.4%	18.0%	17.0%	*
19-64	18.9%	19.2%	18.4%	13.7%	15.2%	
65+	23.0%	17.2%	18.7%	19.8%	13.1%	
Total	18.5%	17.6%	20.7%	15.7%	15.3%	*
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	11.1%	6.7%	#N/A	
19-64	, 7.7%	7.5%	6.7%	7.4%	7.0%	
65+	19.8%	#N/A	21.4%	16.8%	14.8%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

NEW JERSEY 72.8%







NM


NEW MEXICO













10%

50%

NEW MEXICO

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	94.2%	95.6%	96.8%	91.3%	93.3%	
19-64	77.5%	72.3%	72.9%	79.5%	76.7%	
65+	94.0%	96.2%	#N/A	91.8%	91.5%	
Total	84.7%	84.2%	82.8%	85.1%	83.3%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	96.0%	98.8%	94.6%	95.8%	96.8%	
19-64	94.8%	95.0%	93.4%	92.6%	95.1%	
65+	99.6%	99.8%	#N/A	94.3%	96.7%	
Total	96.0%	97.2%	94.4%	93.8%	95.8%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	96.4%	#N/A	98.0%	96.8%	99.6%	
19-64	97.8%	97.5%	96.4%	96.1%	97.2%	
65+	97.2%	#N/A	#N/A	97.5%	96.8%	
Total	97.4%	98.7%	97.2%	96.6%	97.7%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	75.0%	83.9%	84.3%	80.2%	80.2%	
19-64	59.5%	48.4%	59.4%	58.0%	61.6%	
65+	69.4%	77.1%	#N/A	76.5%	79.8%	
Total	65.2%	64.5%	69.8%	67.6%	69.3%	
ercent of Individuals Who Had a Visit to an Emergo	ency Department					
0-18	23.8%	14.1%	17.9%	#N/A	20.3%	
19-64	23.1%	18.2%	17.4%	21.4%	26.5%	*
65+	16.9%	27.8%	#N/A	23.0%	18.4%	
Total	22.1%	19.5%	18.0%	21.8%	23.5%	*
Percent of Individuals Who Spent a Night in Hospita	ı				_	
0-18	#N/A	3.0%	#N/A	5.6%	#N/A	
19-64	6.9%	8.0%	#N/A	7.5%	7.8%	
65+	11.2%	14.1%	#N/A	16.2%	8.9%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


NEW MEXICO 69.3%






NEVADA









14.0%

10%

21.6%

76.1%

60%

NEVADA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	al Care Other than Emergency Department					
0-18	83.2%	92.4%	88.9%	89.3%	85.4%	
19-64	65.6%	73.4%	68.3%	73.4%	72.8%	
65+	#N/A	#N/A	92.6%	99.0%	93.1%	
Total	73.7%	81.5%	77.3%	81.3%	78.8%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	94.7%	96.3%	97.1%	99.8%	97.4%	
19-64	94.0%	95.6%	96.5%	95.4%	96.9%	
65+	#N/A	#N/A	96.1%	98.1%	97.7%	
Total	94.5%	95.6%	96.6%	96.9%	97.1%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	93.0%	96.6%	95.6%	99.3%	96.7%	
19-64	93.6%	95.5%	93.2%	95.8%	96.1%	
65+	#N/A	#N/A	94.2%	99.1%	96.6%	
Total	93.8%	95.1%	94.0%	97.1%	96.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	68.5%	76.7%	62.8%	68.6%	76.1%	
19-64	55.8%	57.4%	51.6%	56.6%	58.8%	
65+	#N/A	#N/A	81.1%	84.0%	84.8%	
Total	62.8%	66.5%	58.9%	63.9%	66.7%	*
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	20.2%	12.5%	14.4%	11.6%	21.6%	
19-64	20.9%	17.3%	16.2%	14.7%	14.8%	
65+	#N/A	#N/A	26.7%	17.8%	14.0%	
Total	20.2%	16.8%	17.3%	14.4%	16.2%	
Percent of Individuals Who Spent a Night in Hospita					_	
0-18	#N/A	11.3%	#N/A	#N/A	#N/A	
19-64	8.5%	10.0%	8.3%	6.9%	6.0%	
65+	#N/A	#N/A	20.8%	#N/A	#N/A	
03+						


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


NEVADA 66.7%






NY JEW YORK









NEW YORK

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	98.1%	97.8%	96.6%	98.4%	98.6%	
19-64	87.1%	88.3%	88.7%	87.7%	90.5%	
65+	97.1%	97.9%	97.4%	97.8%	96.9%	
Total	91.1%	91.8%	92.0%	91.6%	93.4%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	99.1%	99.4%	98.1%	99.0%	98.3%	
19-64	96.2%	96.8%	96.8%	97.3%	95.1%	
65+	97.7%	98.2%	99.0%	99.2%	99.4%	
Total	97.1%	97.6%	97.4%	98.0%	96.5%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	99.1%	98.4%	99.2%	98.7%	97.8%	
19-64	95.8%	96.0%	96.5%	97.2%	96.6%	
65+	98.8%	97.0%	99.1%	96.4%	98.6%	
Total	97.0%	96.7%	97.6%	97.4%	97.2%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 1	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	86.1%	84.4%	83.6%	84.3%	88.0%	
19-64	66.2%	69.2%	68.8%	68.9%	74.6%	*
65+	85.6%	86.2%	86.1%	88.2%	85.5%	
Total	73.6%	75.0%	75.1%	75.1%	79.4%	*
Percent of Individuals Who Had a Visit to an Emergo	ency Department					
0-18	18.1%	15.9%	19.4%	18.1%	13.8%	*
19-64	18.4%	16.5%	18.3%	15.0%	15.3%	
65+	23.1%	19.7%	18.8%	16.8%	21.7%	
Total	19.0%	16.8%	18.6%	15.9%	16.1%	
Percent of Individuals Who Spent a Night in Hospita	al					
0-18	4.3%	4.7%	3.5%	#N/A	4.0%	
19-64	6.7%	7.4%	6.5%	6.5%	7.8%	
65+	15.0%	17.0%	18.4%	13.4%	16.6%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

NEW YORK 79.4%







OH




HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015

OHIO









OHIO

TRENDS IN ACCESS TO CARE, 2011 TO 2015		2242	2012	2014	2015	
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	96.6%	96.9%	97.0%	96.9%	96.6%	
19-64	83.8%	80.3%	82.1%	83.9%	78.9%	
65+	94.9%	95.7%	94.6%	96.8%	97.7%	
Total	88.8%	86.4%	87.6%	89.1%	86.1%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	96.5%	98.2%	98.4%	97.3%	98.7%	
19-64	92.2%	95.8%	95.6%	94.7%	93.6%	
65+	98.3%	97.9%	97.9%	97.3%	97.4%	
Total	94.2%	96.7%	96.6%	95.7%	95.4%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	95.6%	96.2%	97.5%	96.7%	98.5%	
19-64	95.3%	95.6%	97.5%	95.7%	94.0%	*
65+	97.3%	96.7%	98.7%	98.6%	99.2%	
Total	95.7%	95.9%	97.7%	96.4%	95.9%	*
TRENDS IN HEALTH CARE UTILIZATION. 2011 1	O 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor o	Provider Visit					
0-18	83.8%	82.9%	81.3%	85.6%	86.4%	
19-64	69.3%	64.7%	65.8%	70.4%	65.9%	
65+	91.2%	87.5%	85.7%	89.8%	92.6%	*
Total	76.2%	72.2%	72.6%	77.1%	74.8%	
ercent of Individuals Who Had a Visit to an Emerg	ency Department				_	
0-18	21.8%	24.2%	21.5%	25.0%	25.5%	
19-64	24.3%	24.2%	24.9%	23.3%	24.0%	
65+	25.1%	25.0%	23.3%	20.7%	23.5%	
Total	23.8%	24.3%	23.8%	23.4%	24.3%	
ercent of Individuals Who Spent a Night in Hospita	ıl					
0-18	6.6%	5.6%	4.6%	5.7%	7.2%	
19-64	9.1%	6.5%	9.1%	7.0%	9.8%	
65+	20.1%	18.6%	19.4%	14.9%	14.6%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


OHIO 74.8%
















OKLAHOMA

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	93.9%	97.0%	96.3%	97.2%	92.0%	
19-64	77.1%	76.3%	75.9%	79.8%	78.9%	
65+	#N/A	93.4%	#N/A	97.4%	96.8%	
Total	83.5%	84.0%	83.2%	87.3%	85.1%	
ercent of Individuals Who Had No Trouble Finding Do	octor					
0-18	96.3%	99.0%	97.0%	97.4%	97.2%	
19-64	93.4%	96.3%	96.1%	98.2%	95.4%	
65+	#N/A	97.4%	#N/A	97.1%	98.2%	
Total	94.6%	97.1%	96.2%	97.8%	96.3%	
Percent of Individuals Told that Provider Accepts Insu	ance Type					
0-18	95.2%	98.7%	97.5%	99.8%	96.2%	
19-64	96.3%	98.7%	95.9%	98.1%	96.1%	
65+	#N/A	96.8%	#N/A	98.4%	99.5%	
Total	96.1%	98.5%	96.8%	98.6%	96.7%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	79.1%	85.2%	76.3%	87.1%	79.0%	
19-64	62.3%	66.5%	63.3%	71.3%	65.6%	
65+	#N/A	88.8%	#N/A	90.4%	92.8%	
Total	69.4%	74.4%	68.9%	78.6%	73.3%	
Percent of Individuals Who Had a Visit to an Emergend	cy Department					
0-18	18.7%	24.4%	20.4%	16.9%	18.0%	
19-64	20.8%	17.4%	23.8%	18.4%	18.7%	
65+	#N/A	28.9%	#N/A	25.8%	18.4%	
Total	20.8%	20.8%	23.3%	19.1%	18.5%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	9.8%	10.4%	#N/A	#N/A	9.7%	
19-64	9.4%	6.6%	8.5%	7.4%	7.2%	
65+	#N/A	23.3%	#N/A	16.8%	23.9%	
03+						


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

OKLAHOMA 73.3%







OR


OREGON













OREGON

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	98.0%	96.3%	96.0%	96.9%	96.7%	
19-64	74.6%	80.5%	82.6%	75.9%	79.8%	
65+	95.9%	96.5%	97.6%	96.9%	89.5%	*
Total	83.5%	86.5%	88.3%	84.1%	85.2%	
ercent of Individuals Who Had No Trouble Finding Do	octor					
0-18	93.9%	97.0%	95.3%	98.9%	97.5%	
19-64	93.4%	91.3%	93.4%	95.1%	93.9%	
65+	92.3%	93.8%	91.8%	96.0%	95.1%	
Total	93.3%	93.0%	93.5%	96.0%	94.9%	
Percent of Individuals Told that Provider Accepts Insu	ance Type					
0-18	94.3%	94.6%	96.7%	98.1%	98.3%	
19-64	95.2%	96.9%	96.8%	95.4%	95.4%	
65+	97.4%	97.5%	95.0%	96.4%	97.4%	
Total	95.3%	96.5%	96.4%	96.1%	96.4%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	79.6%	84.3%	84.3%	84.1%	89.8%	
19-64	57.5%	61.9%	63.1%	66.4%	63.7%	
65+	79.0%	88.1%	89.2%	86.7%	84.9%	
Total	66.2%	71.2%	72.5%	73.7%	73.4%	
Percent of Individuals Who Had a Visit to an Emergend	y Department					
0-18	19.5%	13.5%	18.3%	16.4%	#N/A	
19-64	17.2%	17.2%	16.1%	16.2%	16.5%	
65+	21.8%	21.3%	24.0%	19.8%	23.3%	
Total	18.5%	17.1%	18.0%	16.9%	17.2%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	7.1%	
19-64	4.5%	5.8%	4.9%	4.8%	4.7%	
		#N/A	18.7%	16.7%	15.9%	
65+	13.2%	#IN/A	18.7%	10.7%	13.970	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


OREGON 73.4%
















PENNSYLVANIA

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	96.1%	98.0%	96.9%	97.5%	97.6%	
19-64	84.0%	85.3%	85.6%	87.2%	85.9%	
65+	94.8%	97.4%	96.8%	95.6%	96.9%	
Total	88.4%	90.0%	89.9%	91.0%	90.2%	
Percent of Individuals Who Had No Trouble Finding Do	octor					
0-18	96.7%	98.2%	98.1%	99.7%	99.1%	
19-64	96.1%	97.3%	97.0%	98.0%	94.0%	*
65+	98.3%	97.6%	97.9%	97.1%	99.6%	
Total	96.6%	97.6%	97.4%	98.2%	96.0%	
Percent of Individuals Told that Provider Accepts Insu	ance Type					
0-18	97.8%	98.4%	96.1%	97.9%	98.5%	
19-64	97.6%	97.0%	98.1%	98.0%	93.9%	*
65+	98.3%	98.9%	98.5%	99.2%	98.8%	
Total	97.7%	97.6%	97.7%	98.2%	95.7%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	87.1%	85.1%	84.7%	89.1%	89.6%	
19-64	67.6%	67.7%	71.1%	73.5%	72.6%	
65+	85.3%	91.2%	88.1%	92.3%	92.7%	
Total	74.8%	75.1%	76.7%	80.3%	79.6%	
Percent of Individuals Who Had a Visit to an Emergend	cy Department					
0-18	20.4%	21.0%	16.8%	16.7%	19.5%	
19-64	22.5%	21.6%	19.6%	20.9%	19.3%	
65+	26.1%	21.5%	20.6%	22.6%	24.2%	
Total	22.5%	21.4%	19.1%	20.3%	20.1%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	5.5%	#N/A	4.8%	#N/A	4.8%	
19-64	7.8%	8.4%	8.7%	7.8%	7.2%	
65+	22.3%	14.8%	14.1%	14.6%	14.6%	
03+						


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


PENNSYLVANIA 79.6%







RI RHODE ISLAND

HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015









50%

RHODE ISLAND

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	ical Care Other than Emergency Department					
0-18	#N/A	96.7%	99.0%	99.0%	99.2%	
19-64	#N/A	86.0%	87.9%	89.5%	86.7%	
65+	#N/A	#N/A	97.7%	96.8%	96.7%	
Total	92.7%	90.6%	92.0%	93.3%	91.8%	
ercent of Individuals Who Had No Trouble Findin	g Doctor					
0-18	#N/A	99.6%	97.3%	97.2%	97.9%	
19-64	#N/A	94.5%	91.7%	95.8%	94.2%	
65+	#N/A	#N/A	94.8%	99.5%	95.9%	
Total	93.1%	96.6%	93.5%	96.7%	95.5%	
Percent of Individuals Told that Provider Accepts I	nsurance Type					
0-18	#N/A	99.6%	98.8%	97.9%	98.1%	
19-64	#N/A	96.4%	96.3%	97.5%	96.9%	
65+	#N/A	#N/A	93.8%	98.6%	97.7%	
Total	95.2%	97.7%	96.5%	97.7%	97.3%	
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	#N/A	89.0%	92.9%	80.4%	91.3%	
19-64	#N/A	76.5%	73.5%	74.3%	72.0%	
65+	#N/A	#N/A	93.5%	95.5%	94.8%	
Total	66.8%	82.9%	80.9%	78.8%	81.2%	
Percent of Individuals Who Had a Visit to an Emer	gency Department					
0-18	#N/A	25.0%	19.1%	#N/A	14.3%	
19-64	#N/A	19.3%	25.3%	23.8%	21.3%	
65+	#N/A	#N/A	26.4%	26.4%	22.2%	
Total	25.8%	21.9%	24.0%	23.5%	19.7%	
Percent of Individuals Who Spent a Night in Hospi	tal					
0-18	#N/A	#N/A	#N/A	#N/A	9.6%	
19-64	#N/A	#N/A	7.5%	10.1%	8.5%	
25 0 .						
65+	#N/A	#N/A	#N/A	17.2%	20.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


RHODE ISLAND 81.2%






SC SOUTH CAROLINA









SOUTH CAROLINA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	al Care Other than Emergency Department					
0-18	90.3%	96.6%	95.1%	96.4%	91.2%	
19-64	82.6%	77.3%	80.2%	81.3%	80.3%	
65+	98.3%	96.8%	99.1%	99.4%	99.1%	
Total	86.6%	84.2%	86.7%	87.0%	85.9%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	98.6%	98.6%	97.2%	99.5%	96.0%	
19-64	95.7%	96.7%	95.5%	93.9%	94.4%	
65+	#N/A	98.1%	99.0%	95.8%	#N/A	
Total	97.0%	97.3%	96.4%	95.4%	95.7%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	99.0%	96.7%	98.4%	99.8%	99.5%	
19-64	96.9%	97.4%	96.4%	97.0%	96.2%	
65+	99.3%	98.7%	98.4%	#N/A	#N/A	
Total	97.7%	97.5%	97.2%	98.0%	97.6%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 1	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	71.0%	77.6%	80.7%	82.3%	70.5%	
19-64	60.8%	65.5%	67.5%	59.0%	63.0%	
65+	90.8%	83.2%	93.5%	89.8%	82.3%	*
Total	67.3%	70.8%	74.7%	68.1%	68.0%	*
Percent of Individuals Who Had a Visit to an Emerg	ency Department				_	
0-18	#N/A	24.4%	14.9%	9.1%	#N/A	
19-64	22.4%	21.1%	17.8%	17.4%	16.6%	
65+	34.2%	#N/A	#N/A	12.8%	22.6%	
Total	22.2%	20.3%	16.9%	15.0%	16.6%	
Percent of Individuals Who Spent a Night in Hospita	al					
0-18	#N/A	#N/A	9.1%	#N/A	#N/A	
19-64	10.4%	11.6%	8.7%	8.0%	5.8%	
65+	23.3%	16.3%	#N/A	#N/A	12.1%	
			8.9%	,		


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

SOUTH CAROLINA 68.0%








SD ____

HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015

SOUTH DAKOTA









SOUTH DAKOTA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	#N/A	#N/A	98.4%	93.4%	96.9%	
19-64	#N/A	88.5%	90.3%	88.8%	84.9%	
65+	#N/A	#N/A	98.0%	97.3%	99.0%	
Total	85.7%	91.8%	93.8%	91.5%	90.4%	
ercent of Individuals Who Had No Trouble Finding Do	octor					
0-18	#N/A	#N/A	98.9%	98.3%	98.7%	
19-64	#N/A	99.0%	98.6%	96.6%	95.1%	
65+	#N/A	#N/A	97.9%	99.4%	96.6%	
Total	98.0%	99.4%	98.5%	97.5%	96.3%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	#N/A	#N/A	#N/A	99.9%	#N/A	
19-64	#N/A	99.5%	99.3%	99.0%	96.1%	*
65+	#N/A	#N/A	#N/A	99.5%	#N/A	
Total	97.7%	99.7%	99.6%	99.3%	97.8%	*
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	#N/A	#N/A	77.8%	62.4%	84.0%	*
19-64	#N/A	64.5%	61.8%	54.3%	55.2%	
65+	#N/A	#N/A	88.2%	87.9%	85.8%	
Total	71.3%	72.7%	70.8%	62.4%	68.0%	
Percent of Individuals Who Had a Visit to an Emergen	cy Department				_	
0-18	#N/A	#N/A	10.2%	17.7%	13.6%	
19-64	#N/A	12.2%	15.8%	13.7%	18.8%	
65+	#N/A	#N/A	25.1%	#N/A	17.6%	*
Total	12.9%	14.9%	16.2%	15.4%	17.2%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	, #N/A	#N/A	4.9%	#N/A	5.6%	
65+	#N/A	#N/A	12.8%	10.0%	12.4%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


SOUTH DAKOTA 68.0%







TN FINNESSEE











TENNESSEE

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	al Care Other than Emergency Department					
0-18	95.8%	97.1%	98.2%	92.5%	94.7%	
19-64	81.3%	80.2%	84.7%	86.2%	82.0%	
65+	98.0%	98.6%	97.1%	97.7%	96.9%	
Total	86.8%	86.8%	90.2%	89.3%	87.3%	
ercent of Individuals Who Had No Trouble Finding	Doctor					
0-18	95.9%	98.8%	97.6%	98.8%	98.3%	
19-64	95.8%	96.1%	94.6%	95.8%	96.7%	
65+	94.0%	99.3%	96.6%	96.8%	98.2%	
Total	95.6%	97.1%	95.7%	96.7%	97.3%	
Percent of Individuals Told that Provider Accepts Ins	surance Type					
0-18	96.0%	98.6%	98.1%	94.7%	96.7%	
19-64	97.0%	95.6%	95.7%	97.7%	97.0%	
65+	95.8%	#N/A	95.1%	94.8%	96.9%	
Total	96.6%	97.0%	96.2%	96.5%	96.9%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 T	0 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	82.1%	82.8%	75.3%	81.5%	81.9%	
19-64	67.7%	62.0%	63.9%	71.9%	63.1%	
65+	87.3%	85.0%	80.7%	92.6%	91.1%	
Total	73.5%	70.2%	69.6%	77.2%	71.7%	
Percent of Individuals Who Had a Visit to an Emerge	ency Department					
0-18	16.9%	24.0%	19.7%	23.2%	20.4%	
19-64	21.5%	19.1%	19.3%	19.9%	20.4%	
65+	20.4%	#N/A	13.1%	21.4%	21.4%	
Total	20.3%	20.0%	18.4%	20.9%	20.5%	
Percent of Individuals Who Spent a Night in Hospita	<u></u>					
0-18	2.5%	#N/A	6.9%	#N/A	8.4%	
19-64	7.1%	10.8%	8.1%	7.0%	11.0%	
	20.3%	16.5%	16.7%	15.3%	15.9%	
65+	20.376					


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


TENNESSEE 71.7%







As The state of th











TEXAS

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	ical Care Other than Emergency Department					
0-18	92.4%	92.6%	91.8%	94.0%	92.5%	
19-64	72.7%	70.4%	73.4%	74.3%	76.1%	
65+	92.3%	92.6%	95.3%	94.1%	95.8%	
Total	80.7%	79.1%	81.2%	82.2%	83.1%	
ercent of Individuals Who Had No Trouble Findin	g Doctor					
0-18	96.9%	96.7%	97.1%	96.5%	96.6%	
19-64	95.1%	95.0%	95.1%	96.1%	94.7%	
65+	93.9%	95.6%	97.2%	96.5%	95.7%	
Total	95.5%	95.5%	95.9%	96.2%	95.4%	
ercent of Individuals Told that Provider Accepts I	nsurance Type					
0-18	97.6%	96.7%	97.4%	96.9%	97.2%	
19-64	96.3%	95.2%	96.3%	97.3%	95.5%	
65+	94.5%	95.0%	96.1%	97.1%	95.2%	
Total	96.5%	95.6%	96.6%	97.2%	96.0%	
TRENDS IN HEALTH CARE UTILIZATION, 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	81.4%	78.3%	79.5%	80.6%	81.4%	
19-64	60.7%	56.7%	57.7%	61.1%	58.7%	
65+	87.5%	81.7%	80.7%	85.4%	87.5%	*
Total	69.8%	65.5%	66.6%	69.5%	68.5%	
Percent of Individuals Who Had a Visit to an Emer	gency Department					
0-18	19.9%	16.3%	17.4%	15.4%	17.0%	
19-64	17.6%	18.6%	17.2%	16.7%	16.2%	
65+	22.0%	19.9%	21.4%	21.6%	20.4%	
Total	18.7%	18.1%	17.8%	16.9%	16.9%	
Percent of Individuals Who Spent a Night in Hospi	tal					
0-18	5.5%	5.5%	5.7%	5.4%	2.9%	*
19-64	8.1%	7.7%	7.2%	7.1%	6.5%	
19-04	0.170					
65+	20.2%	14.1%	13.1%	13.4%	16.8%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


TEXAS 68.5%







UTAH











UTAH

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medic	cal Care Other than Emergency Department					
0-18	97.5%	92.6%	92.6%	93.6%	93.6%	
19-64	83.6%	77.8%	80.6%	84.5%	84.9%	
65+	#N/A	#N/A	#N/A	99.9%	91.9%	
Total	89.9%	84.8%	85.5%	89.3%	88.6%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	99.1%	97.2%	98.7%	99.3%	99.0%	
19-64	97.3%	96.2%	98.7%	98.1%	97.5%	
65+	#N/A	#N/A	#N/A	96.7%	99.0%	
Total	97.9%	96.7%	98.5%	98.3%	98.1%	
Percent of Individuals Told that Provider Accepts In	surance Type					
0-18	99.8%	98.0%	99.4%	99.0%	98.6%	
19-64	92.7%	93.7%	97.8%	97.8%	97.4%	
65+	#N/A	#N/A	#N/A	98.8%	96.8%	
Total	95.6%	95.8%	98.2%	98.3%	97.8%	
TRENDS IN HEALTH CARE UTILIZATION. 2011	TO 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor o	r Provider Visit					
0-18	87.7%	83.5%	77.5%	76.5%	85.7%	
19-64	61.2%	60.6%	57.2%	60.3%	63.7%	
65+	#N/A	#N/A	#N/A	86.0%	78.6%	
Total	72.9%	70.6%	66.6%	68.7%	73.0%	*
Percent of Individuals Who Had a Visit to an Emerg	ency Department					
0-18	#N/A	14.3%	14.7%	13.4%	6.3%	*
19-64	12.8%	21.4%	16.8%	14.4%	11.0%	
65+	#N/A	#N/A	#N/A	20.7%	17.4%	
Total	12.6%	17.8%	15.7%	14.8%	9.8%	
Percent of Individuals Who Spent a Night in Hospit	al	<u></u>				
0-18	#N/A	5.6%	#N/A	7.2%	#N/A	
19-64	6.7%	7.7%	7.5%	7.0%	6.2%	
65+	#N/A	#N/A	#N/A	19.0%	17.0%	
			6.6%			


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


UTAH 73.0%
















VIRGINIA

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical	Care Other than Emergency Department					
0-18	97.1%	95.9%	93.9%	98.0%	96.1%	
19-64	82.5%	84.5%	86.5%	83.9%	82.5%	
65+	98.3%	98.0%	92.5%	97.5%	94.9%	
Total	88.3%	89.1%	88.9%	89.0%	87.3%	
Percent of Individuals Who Had No Trouble Finding Do	octor					
0-18	96.4%	96.9%	96.9%	98.6%	97.2%	
19-64	97.4%	96.3%	96.8%	94.8%	94.7%	
65+	98.0%	97.3%	96.3%	98.5%	#N/A	
Total	97.2%	96.6%	96.8%	96.2%	96.0%	
Percent of Individuals Told that Provider Accepts Insu	rance Type					
0-18	96.0%	99.2%	96.8%	99.6%	98.8%	
19-64	96.6%	96.2%	97.7%	97.5%	97.3%	
65+	97.1%	97.5%	97.4%	96.8%	99.8%	
Total	96.5%	97.1%	97.4%	97.9%	98.0%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or P	rovider Visit					
0-18	84.1%	88.5%	85.7%	88.5%	93.7%	*
19-64	65.2%	72.8%	75.4%	75.8%	72.5%	
65+	89.2%	88.7%	85.9%	90.3%	92.3%	
Total	73.2%	78.8%	79.0%	80.7%	80.0%	
Percent of Individuals Who Had a Visit to an Emergen	cy Department					
0-18	18.5%	17.9%	16.1%	13.6%	20.0%	
19-64	20.3%	19.3%	17.7%	20.1%	24.0%	*
65+	#N/A	23.5%	29.8%	20.2%	18.5%	
Total	19.2%	19.6%	18.6%	18.7%	22.3%	
Percent of Individuals Who Spent a Night in Hospital					_	
0-18	4.4%	#N/A	#N/A	#N/A	#N/A	
19-64	5.5%	7.9%	5.6%	5.9%	6.0%	
			17.8%	12.2%	15.2%	
65+	#N/A	14.0%	17.8%	12.2%	15.2%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


VIRGINIA 80.0%






HEALTH CARE ACCESS & UTILIZATION, 2011 TO 2015






TRENDS IN ACCESS TO CARE, 2011 - 2015



TRENDS IN HEALTH CARE UTILIZATION, 2011 - 2015





50%

VERMONT

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medical Ca	are Other than Emergency Department					
0-18	#N/A	#N/A	#N/A	#N/A	98.9%	
19-64	#N/A	#N/A	93.2%	97.2%	92.4%	
65+	#N/A	#N/A	#N/A	99.5%	96.4%	
Total	#N/A	#N/A	95.5%	98.1%	94.6%	
Percent of Individuals Who Had No Trouble Finding Doc	tor					
0-18	#N/A	#N/A	#N/A	#N/A	99.6%	
19-64	#N/A	#N/A	95.6%	98.8%	97.9%	
65+	#N/A	#N/A	#N/A	#N/A	98.5%	
Total	#N/A	#N/A	97.0%	99.2%	98.4%	
Percent of Individuals Told that Provider Accepts Insura	nce Type					1
0-18	#N/A	#N/A	#N/A	#N/A	99.8%	
19-64	#N/A	#N/A	99.5%	99.8%	98.8%	*
65+	#N/A	#N/A	#N/A	90.4%	#N/A	
Total	#N/A	#N/A	99.7%	98.6%	99.2%	*
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO 2	015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or Pro	vider Visit					
0-18	#N/A	#N/A	#N/A	97.7%	96.7%	
19-64	#N/A	#N/A	68.2%	84.1%	81.5%	
65+	#N/A	#N/A	#N/A	97.0%	81.1%	
Total	#N/A	#N/A	76.8%	88.6%	85.0%	*
Percent of Individuals Who Had a Visit to an Emergency	Department					
0-18	#N/A	#N/A	#N/A	6.5%	24.6%	
19-64	#N/A	#N/A	25.4%	37.9%	23.5%	
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	21.8%	27.5%	22.4%	
Percent of Individuals Who Spent a Night in Hospital					_	_
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	#N/A	#N/A	8.6%	9.6%	4.8%	
65+	, #N/A	#N/A	#N/A	#N/A	#N/A	
Total	*N/A	#N/A	#N/A	7.3%	4.8%	


 $[\]ensuremath{^*}$ Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


VERMONT 85.0%
















WASHINGTON

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Medica	Care Other than Emergency Department					
0-18	96.2%	91.8%	95.3%	92.8%	95.8%	
19-64	83.2%	76.8%	74.6%	80.6%	82.7%	*
65+	95.1%	93.5%	93.1%	94.7%	93.1%	
Total	88.0%	82.4%	81.9%	85.6%	87.2%	*
ercent of Individuals Who Had No Trouble Finding [octor					
0-18	97.3%	97.0%	93.6%	97.1%	98.6%	*
19-64	95.0%	94.0%	96.0%	94.9%	95.3%	
65+	97.7%	98.6%	94.2%	96.0%	97.3%	
Total	95.9%	95.3%	95.2%	95.6%	96.3%	
Percent of Individuals Told that Provider Accepts Inst	irance Type					
0-18	97.3%	96.1%	94.1%	97.8%	94.3%	
19-64	95.0%	95.6%	96.0%	95.9%	94.8%	
65+	98.9%	98.7%	94.2%	98.7%	94.3%	
Total	96.1%	96.1%	95.3%	96.8%	94.6%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	71.6%	79.5%	77.0%	77.0%	81.0%	
19-64	60.1%	59.3%	54.0%	62.9%	62.1%	*
65+	77.0%	76.0%	77.9%	79.0%	84.2%	
Total	64.9%	66.1%	62.5%	68.7%	69.5%	
ercent of Individuals Who Had a Visit to an Emerger	ncy Department					
0-18	17.4%	21.4%	15.1%	17.1%	16.2%	
19-64	17.1%	14.5%	16.9%	14.8%	17.0%	
65+	29.2%	19.2%	28.0%	16.9%	30.3%	
Total	18.5%	16.7%	17.7%	15.7%	18.6%	
ercent of Individuals Who Spent a Night in Hospital					_	
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	5.3%	7.2%	6.8%	6.1%	4.7%	
				7.6%	14.3%	
65+	22.3%	#N/A	21.7%	7.0%	14.5%	


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


WASHINGTON 69.5%






WI WISCONSIN









WISCONSIN

	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals with a Usual Source of Med	dical Care Other than Emergency Department				_	
0-18	98.7%	98.1%	97.4%	97.9%	96.8%	
19-64	88.6%	82.5%	89.0%	90.8%	86.1%	
65+	99.2%	98.9%	97.0%	97.6%	98.6%	
Total	92.8%	89.0%	92.0%	93.5%	90.8%	
Percent of Individuals Who Had No Trouble Findi	ng Doctor					
0-18	97.7%	98.8%	98.2%	97.2%	97.9%	
19-64	97.0%	97.4%	98.2%	97.3%	96.5%	
65+	99.6%	#N/A	99.6%	97.6%	96.9%	
Total	97.6%	98.2%	98.4%	97.3%	96.9%	
Percent of Individuals Told that Provider Accepts	Insurance Type					
0-18	99.5%	99.0%	99.6%	98.3%	98.2%	
19-64	97.9%	98.4%	98.4%	#N/A	97.4%	
65+	99.6%	#N/A	99.0%	97.3%	#N/A	
Total	98.5%	98.8%	98.8%	99.2%	98.0%	
TRENDS IN HEALTH CARE UTILIZATION, 201	1 TO 2015					
	2011	2012	2013	2014	2015	Test 15-1
Percent of Individuals Who Had a General Doctor	or Provider Visit					
0-18	85.0%	81.8%	83.8%	84.8%	79.3%	
19-64	67.7%	57.0%	66.2%	72.5%	62.1%	
65+	88.8%	91.4%	86.4%	92.8%	86.7%	
Total	75.4%	68.6%	72.9%	78.7%	70.4%	
Percent of Individuals Who Had a Visit to an Eme	rgency Department					
0-18	15.3%	11.6%	13.0%	17.3%	9.7%	
19-64	17.9%	17.0%	14.4%	15.8%	15.1%	
65+	24.4%	18.5%	#N/A	21.2%	23.2%	
Total	18.3%	15.9%	14.2%	17.1%	15.0%	
Percent of Individuals Who Spent a Night in Hosp	ital					
0-18	4.6%	8.3%	4.7%	#N/A	8.4%	
19-64	9.8%	8.3%	9.5%	5.9%	#N/A	
65+	20.3%	17.1%	#N/A	16.5%	19.4%	
031	20.370	27.1270	,			


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC


PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


WISCONSIN 70.4%






WV WEST VIRGINIA









WEST VIRGINIA

TRENDS IN ACCESS TO CARE. 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals with a Usual Source of Medica	l Care Other than Emergency Department					
0-18	93.8%	97.5%	95.6%	97.7%	95.9%	
19-64	79.3%	71.8%	73.9%	78.9%	74.3%	
65+	#N/A	99.5%	98.4%	96.4%	86.5%	
Total	85.0%	82.1%	82.2%	86.4%	80.8%	
Percent of Individuals Who Had No Trouble Finding	Doctor					
0-18	97.2%	98.3%	99.2%	98.8%	98.0%	
19-64	94.2%	95.2%	95.0%	95.1%	95.3%	
65+	#N/A	99.7%	#N/A	99.2%	98.6%	
Total	95.3%	96.6%	96.6%	96.7%	96.4%	
Percent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	96.8%	97.7%	96.5%	99.7%	97.3%	
19-64	96.8%	97.0%	97.6%	98.0%	96.1%	
65+	#N/A	96.2%	#N/A	98.5%	98.3%	
Total	97.0%	97.0%	97.7%	98.5%	96.7%	
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	O 2015					
	2011	2012	2013	2014	2015	Test 15-13
Percent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	94.5%	87.1%	82.4%	89.1%	85.8%	
19-64	67.7%	67.3%	57.2%	64.7%	64.0%	
65+	#N/A	92.8%	87.9%	90.2%	82.6%	
Total	77.6%	75.9%	67.1%	74.9%	71.5%	
Percent of Individuals Who Had a Visit to an Emerge	ncy Department					
0-18	26.1%	31.0%	21.8%	23.8%	#N/A	
19-64	29.7%	23.6%	24.8%	24.0%	28.1%	
65+	#N/A	31.1%	24.9%	31.6%	22.8%	
Total	29.5%	26.5%	24.2%	25.2%	25.1%	
Percent of Individuals Who Spent a Night in Hospital						
0-18	4.5%	8.4%	#N/A	9.9%	#N/A	
19-64	13.3%	10.6%	10.5%	#N/A	#N/A	
65+	#N/A	23.4%	19.9%	17.9%	#N/A	
03+						


^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015


WEST VIRGINIA 71.5%







WY WYOMING











WYOMING

TRENDS IN ACCESS TO CARE, 2011 TO 2015						
	2011	2012	2013	2014	2015	Test 15-13
ercent of Individuals with a Usual Source of Medica	Care Other than Emergency Department					
0-18	#N/A	#N/A	95.7%	95.7%	95.6%	
19-64	#N/A	#N/A	76.9%	76.3%	82.8%	
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	83.8%	83.6%	87.2%	
ercent of Individuals Who Had No Trouble Finding [Ooctor					
0-18	#N/A	#N/A	96.5%	98.0%	98.4%	*
19-64	#N/A	#N/A	95.0%	98.2%	89.7%	
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	95.7%	98.3%	91.4%	*
ercent of Individuals Told that Provider Accepts Ins	urance Type					
0-18	#N/A	#N/A	96.0%	98.2%	99.9%	*
19-64	#N/A	#N/A	98.3%	99.2%	90.2%	*
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	97.6%	99.0%	92.3%	*
TRENDS IN HEALTH CARE UTILIZATION, 2011 TO	2015					
	2011	2012	2013	2014	2015	Test 15-1
ercent of Individuals Who Had a General Doctor or	Provider Visit					
0-18	#N/A	#N/A	67.7%	72.7%	79.8%	*
19-64	#N/A	#N/A	55.9%	61.2%	64.6%	*
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	62.8%	66.4%	70.8%	*
ercent of Individuals Who Had a Visit to an Emerger	ncy Department					
0-18	#N/A	#N/A	12.4%	11.6%	18.8%	*
19-64	#N/A	#N/A	32.6%	11.7%	18.0%	*
65+	#N/A	#N/A	#N/A	#N/A	#N/A	
Total	#N/A	#N/A	25.6%	12.3%	17.8%	*
ercent of Individuals Who Spent a Night in Hospital						
0-18	#N/A	#N/A	#N/A	#N/A	#N/A	
19-64	#N/A	#N/A	17.3%	7.3%	9.8%	
		•				
65+	#N/A	#N/A	#N/A	#N/A	#N/A	

^{*} Significant difference between 2013 and 2015 estimates at the 95% confidence level.

#N/A--Not available due to insufficient sample size.

Source: National Health Interview Survey as analyzed by SHADAC

PERCENT OF INDIVIDUALS WHO HAD A GENERAL DOCTOR OR PROVIDER VISIT, 2015

WYOMING 70.8%

